

**Listing of Claims:**

- 3-5/17
1. (currently amended) A method for handling browser requests for more than one data service with a personal proxy program, said method comprising:
- accessing a browser's original Internet connection settings;
- storing said browser's original Internet connection settings;
- updating the Internet connection settings of said browser to access said personal proxy program;
- interfacing said personal proxy program with at least two different types of handlers including a broadcast media handler and an Internet handler;
- accepting in said personal proxy program a request from said Internet browser;
- A2
- selecting [[a]] one of the handlers to handle said request; [[and]]
- directing said request to said handler; and
- receiving multimedia content from said handler for display in said browser.
2. (currently amended) The method of claim 1 wherein directing said request to said handler comprises directing said request to the Internet using said stored Internet connection settings if said [[the]] Internet should handle said request.
3. (currently amended) The method of claim 1 wherein directing said request to said handler comprises directing said request to [[.]]a second program running on a computer system that is running said personal proxy program.

A

4. (original) The method of claim 3 wherein said second program comprises a local cache server if said local cache server should handle said request.

5. (currently amended) The method of claim 1 wherein directing said request to said handler comprises directing said request to an ~~external data appliance device~~ a broadcast media receiver.

6. (currently amended) The method of claim 1 wherein ~~directing said external data appliance device receives data from a data broadcast network~~ said multimedia content is one of a terrestrial radio broadcast, a satellite television broadcast, and a cable television broadcast.

7. (currently amended) An ~~computer system arrangement~~ apparatus for browsing data from more than one data service, said ~~computer system arrangement~~ comprising:

a browser program for browsing accessible data resources using data resource requests;

a first request handler for handling data resource requests;

a second request handler for handling data resource broadcast media requests;

a personal proxy program, said personal proxy program accepting a request from said Internet browser, selecting one of said request handlers to handle said request, and directing said request to a selected request handler.

8. (original) The apparatus of claim 7 wherein said first request handler comprises the Internet.

9. (original) The apparatus of claim 7 wherein said first request handler comprises directing said request to a second program running on a computer system that is running said personal proxy program.

10. (original) The apparatus of claim 7 wherein said first request handler comprises a local cache server.

11. (currently amended) The apparatus of claim 7 wherein said first second request handler comprises ~~an external data appliance device~~ broadcast media receiver.

12. (currently amended) The apparatus of claim 11 wherein ~~said external data appliance device receives data from a data broadcast network~~ said broadcast media receiver is to receive one of a terrestrial radio broadcast, a satellite television broadcast, and a cable television broadcast.

A

13. (currently amended) A method for handling browser requests from a browser program for more than one data service with a personal proxy program, said method comprising:

accessing an original browser autoconfig file used by said browser program;

creating a modified autoconfig file from said original browser autoconfig file;

instructing said browser program to access said modified autoconfig file;

interfacing said personal proxy program with at least two different handlers including a broadcast media handler and an Internet handler;

accepting in said personal proxy program a request from said browser program;

selecting a handler to handle said request; and,

directing said request to said handler.

14. (original) The method of claim 13 wherein directing said modified autoconfig file directs requests to said personal proxy program.